



SAFETY DATA SHEET

Sultraspot Soft

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Sultraspot Soft
Product number	7871/21484
UFI	UFI: 6SSP-X09J-M00U-DR6F

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Spotting Agent
-----------------	----------------

1.3. Details of the supplier of the safety data sheet

Supplier	Christeyns NV Afrikalaan 182 9000 Gent Belgium Tel: +32 9 223 38 71 info@christeyns.be
Manufacturer	Cole & Wilson Ltd Rutland Street Bradford West Yorkshire BD4 7EA T:01274 393286 F: 01274 309143 info@colewilson.co.uk

1.4. Emergency telephone number

Emergency telephone	Christeyns NV: Tel: +32 9 223 38 71 (Mon-Fri 8am-4pm)
---------------------	---

Sultraspot Soft

National emergency telephone number	<p>NCEC Tel: +44 1235 239670 (UK and Europe) (DE) Giftnotruf Berlin +49 30 19240 (24h erreichbar) (DE) Giftnotruf Berlin +49 (0)30 30686 790 (CH) STIZ, tel. 145 (CH) Centre suisse d'information toxicologique: +41.(0)1.251.51.51 (AT) Vergiftungsinformationszentrale: +43 1 40 400 2222 worldwide: http://www.who.int/ipcs/poisons/centre/directory/en (FR) CENTRE ANTI-POISON France: +33 45 42 59 59 ORFILA (INRS) (FR) CENTRE ANTI-POISON Nancy: +33 (03) 83 26 36 36 (FI) Myrkytystietokeskus +358 9 471 977 (BE) Belgisch Antigifcentrum/Centre Antipoisons Belge : +32 70 245 245 (ES) Teléfono Instituto Nacional de Toxicología: 915 620 420 (GB) NHS 111 (IT) Centro Antiveleni, Ospedale Niguarda Milano: +39 02 6610 1029 (CZ) Toxikologické informační středisko, Klinika pracovního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00 Praha 2: +420 224 919 293, +420 224 915 402 (SK) Národné toxikologické informačné centrum, Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie, Limbová 5, 833 05 Bratislava : +421 2 54 77 41 66 National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only (24 hour service) +45 8988 2286 (Denmark) +358 9 7479 0199 (Finland) +47 2103 4452 (Norway) +46 8 566 42573 +46 112 Begär Giftinformation (Sweden)</p>
-------------------------------------	--

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Asp. Tox. 1 - H304
Environmental hazards	Aquatic Chronic 3 - H412

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	<p>H315 Causes skin irritation. H319 Causes serious eye irritation. H304 May be fatal if swallowed and enters airways. H412 Harmful to aquatic life with long lasting effects.</p>
Precautionary statements	<p>P273 Avoid release to the environment. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P501 Dispose of contents/ container in accordance with national regulations.</p>
Contains	Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics
Detergent labelling	≥ 30% anionic surfactants

Sultraspot Soft

Supplementary precautionary statements

P264 Wash contaminated skin thoroughly after handling.
 P321 Specific treatment (see medical advice on this label).
 P331 Do NOT induce vomiting.
 P332+P313 If skin irritation occurs: Get medical advice/ attention.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P362+P364 Take off contaminated clothing and wash it before reuse.
 P405 Store locked up.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics	50-80%
CAS number: 64742-47-8	EC number: 926-141-6
Classification Asp. Tox. 1 - H304	
BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine	30-50%
CAS number: 84961-74-0	EC number: 284-664-9
Classification Skin Irrit. 2 - H315 Eye Irrit. 2 - H319 Aquatic Chronic 3 - H412	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if symptoms are severe or persist. Remove affected person from source of contamination.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.
Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Vapour from this product may be hazardous by inhalation. Vapours may irritate throat/respiratory system. Vapours may cause drowsiness and dizziness.
Ingestion	Aspiration hazard if swallowed. May be fatal if swallowed and enters airways. Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract. May cause chemical burns in mouth and throat. Congestion of the lungs may occur, producing severe shortness of breath. May cause stomach pain or vomiting. Nausea Diarrhoea.

Sultraspot Soft

Skin contact Causes skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.

Eye contact This product is strongly irritating.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards No unusual fire or explosion hazards noted.

Hazardous combustion products Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur.

5.3. Advice for firefighters

Protective actions during firefighting Dangerous for the environment if discharged into watercourses. If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.

Special protective equipment for firefighters Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet. Avoid inhalation of vapours and contact with skin and eyes.

6.2. Environmental precautions

Environmental precautions Harmful to aquatic life with long lasting effects. Dangerous for the environment if discharged into watercourses. Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable retaining areas or container with large quantities of water. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid contact with skin and eyes.

Advice on general occupational hygiene Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Sultraspot Soft

Storage precautions Keep above the chemical's freezing point to avoid rupturing the container. Store in tightly-closed, original container in a dry, cool and well-ventilated place.

Storage class Chemical storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics

Long-term exposure limit (8-hour TWA): 150 ppm 1000 mg/m³

BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine (CAS: 84961-74-0)

DNEL

Workers - Inhalation; Long term systemic effects: 3.33 mg/m³
 Workers - Dermal; Long term systemic effects: 0.94 mg/kg
 General population - Inhalation; Long term systemic effects: 0.82 mg/m³
 General population - Dermal; Long term systemic effects: 0.47 mg/kg
 General population - Oral; Long term systemic effects: 0.47 mg/kg

PNEC

Fresh water; 0.268 mg/l
 marine water; 0.0268 mg/l
 Intermittent release; 0.268 mg/l
 Sediment (Freshwater); 8.1 mg/kg
 Sediment (Marinewater); 8.1 mg/kg
 STP; 1.67 mg/l
 Soil; 35 mg/kg

8.2. Exposure controls

Protective equipment



Appropriate engineering controls Provide adequate ventilation if the airborne contamination exceeds occupational exposure limits

Eye/face protection Safety glasses with side-shields (EN 166).

Hand protection Chemical resistant PVC/Nitrilrubber gloves (to European standard EN 374 or equivalent). Thickness: 0,4 mm. Penetration time: >480 min (level 6). The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.

Other skin and body protection Wear suitable protective clothing (EN14605)

Hygiene measures Do not eat, drink or smoke when using this product.

Respiratory protection Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit. Wear a respirator fitted with the following cartridge: Gas filter, type AX. Gas filter, type B. Gas filter, type E. Gas filter, type K.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Yellow.

Sultraspot Soft

Odour	Characteristic.
pH	pH (concentrated solution): <3
Flash point	> 80°C Closed cup.
Relative density	0.80-0.86 @ 20°C
Solubility(ies)	Soluble in water.
Viscosity	5 cP @ 20°C

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Oxidising agents. Reducing agents.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	Avoid contact with the following materials: Oxidising agents. Reducing agents. Avoid heat, flames and other sources of ignition.
---------------------	--

10.5. Incompatible materials

Materials to avoid	Oxidising agents. Reducing agents.
--------------------	------------------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Not regarded as a health hazard under current legislation.
-----------------------	--

Acute toxicity - oral

Notes (oral LD ₅₀)	May be fatal if swallowed and enters airways.
--------------------------------	---

Acute toxicity - dermal

Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
----------------------------------	--

Acute toxicity - inhalation

Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.
--------------------------------------	--

Skin corrosion/irritation

Skin corrosion/irritation	Causes skin irritation.
---------------------------	-------------------------

Serious eye damage/irritation

Serious eye damage/irritation	Causes serious eye irritation.
-------------------------------	--------------------------------

Respiratory sensitisation

Respiratory sensitisation	Based on available data the classification criteria are not met.
---------------------------	--

Skin sensitisation

Skin sensitisation	Based on available data the classification criteria are not met.
--------------------	--

Sultraspot Soft

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Vapour from this product may be hazardous by inhalation. Vapours may irritate throat/respiratory system. Vapours may cause drowsiness and dizziness.

Ingestion

Aspiration hazard if swallowed. Harmful: may cause lung damage if swallowed.

Skin contact

Irritating to skin.

Eye contact

This product is strongly irritating. Symptoms following overexposure may include the following: Redness. Pain.

Acute and chronic health hazards

This product may cause skin and eye irritation. Aspiration hazard if swallowed. Repeated exposure may cause chronic eye irritation. Repeated exposure may cause chronic upper respiratory irritation. Mild dermatitis, allergic skin rash. Defatting, drying and cracking of skin. Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

Route of exposure

Skin and/or eye contact Ingestion Inhalation

Toxicological information on ingredients.

Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 5,001.0

Species Rat

ATE oral (mg/kg) 5,001.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 5,001.0

Species Rabbit

ATE dermal (mg/kg) 5,001.0

BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

Acute toxicity - oral

Sultraspot Soft

Acute toxicity oral (LD ₅₀ mg/kg)	2,001.0
Species	Rat
ATE oral (mg/kg)	2,001.0

SECTION 12: Ecological information

Ecotoxicity Dangerous for the environment if discharged into watercourses. Harmful to aquatic life with long lasting effects.

12.1. Toxicity

Toxicity Harmful to aquatic life with long lasting effects.

Ecological information on ingredients.

Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics

Acute aquatic toxicity

Acute toxicity - fish LL₅₀, : >100 mg/l,

Acute toxicity - aquatic invertebrates LL₅₀, : >100 mg/l,

Acute toxicity - aquatic plants LL₅₀, : >100 mg/l,

Acute toxicity - microorganisms LL₅₀, : >100 mg/l,

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, : >0.1-<1.0 mg/l,

Chronic toxicity - aquatic invertebrates NOEC, : >0.1-<1.0 mg/l,

BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 88 mg/l, Freshwater fish
LC₅₀, 48 hours: 97 mg/l, Freshwater fish
LC₅₀, 96 hours: 1.67 mg/l, Lepomis macrochirus (Bluegill)
LC₅₀, 48 hours: 40 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: 40 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: 6.8 mg/l, Oncorhynchus mykiss (Rainbow trout)

Acute toxicity - aquatic invertebrates

EC₅₀, 48 hours: 7.1 mg/l, Daphnia magna
EC₅₀, 48 hours: 2.9 mg/l, Daphnia magna
LC₅₀, 48 hours: 7.6 mg/l, Freshwater invertebrates
LC₅₀, 96 hours: 3.5 mg/l, Freshwater invertebrates
LC₅₀, 144 hours: 1.1 mg/l, Freshwater invertebrates
LC₅₀, 192 hours: 0.96 mg/l, Freshwater invertebrates
LC₅₀, 48 hours: 8.6 mg/l, Freshwater invertebrates
LC₅₀, 96 hours: 6.5 mg/l, Freshwater invertebrates
LC₅₀, 48 hours: 2.4 mg/l, Freshwater invertebrates
LC₅₀, 96 hours: 1.8 mg/l, Freshwater invertebrates

Sultraspot Soft

Acute toxicity - aquatic plants EC₅₀, 72 hours: >100 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 72 hours: 190 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 72 hours: >80 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 72 hours: 160 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 72 hours: 46 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 72 hours: 72 mg/l, Pseudokirchneriella subcapitata
 NOEC, 72 hours: 10 mg/l, Pseudokirchneriella subcapitata
 NOEC, 72 hours: 72 mg/l, Pseudokirchneriella subcapitata
 EC₅₀, 96 hours: 0.91 mg/l, Freshwater algae
 EC₅₀, 72 hours: 7.5 mg/l, Desmodesmus subspicatus
 NOEC, 72 hours: 1.25 mg/l, Desmodesmus subspicatus
 LOEC, 72 hours: 2.5 mg/l, Desmodesmus subspicatus
 EC₅₀, 96 hours: 29 mg/l, Pseudokirchneriella subcapitata
 NOEC, 96 hours: 0.5 mg/l, Pseudokirchneriella subcapitata
 LOEC, 96 hours: 1 mg/l, Pseudokirchneriella subcapitata
 NOEC, 72 hours: 2.4 mg/l, Desmodesmus subspicatus

Chronic aquatic toxicity

Chronic toxicity - fish early life stage NOEC, 196 days: 0.63 mg/l, Pimephales promelas (Fat-head Minnow)
 LOEC, 196 days: 1.2 mg/l, Pimephales promelas (Fat-head Minnow)
 NOEC, 90 days: 0.25 mg/l, Marinewater fish
 NOEC, 28 days: 3.2 mg/l, Poecilia reticulata (Guppy)
 LOEC, 28 days: 10 mg/l, Poecilia reticulata (Guppy)
 NOEC, 28 days: 1 mg/l, Lepomis macrochirus (Bluegill)

Short term toxicity - embryo and sac fry stages NOEC, 72 days: 0.23 mg/l, Oncorhynchus mykiss (Rainbow trout)

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 1.18 mg/l, Daphnia magna
 NOEC, 7 days: 0.5 mg/l, Freshwater invertebrates
 EC₂₀, 32 days: 0.36 mg/l, Freshwater invertebrates

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

Biodegradation Water and sediment - Degradation 81.21%: 10 days

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

Hydrocarbons, C11 - C14, n alkanes, isoalkanes, cyclics, < 2% aromatics

Partition coefficient log Pow: 6-8.2

BENZENESULPHONIC ACID, 4-C10-13-sec-alkyl derivs., compds. with 2-propanamine

Bioaccumulative potential BCF: 500,

Partition coefficient Koc: 105

12.4. Mobility in soil

Mobility Soluble in water.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Sultraspot Soft

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods Dispose of in accordance with Local Authority regulations as special waste according to The Control of Special Waste Regulations 1996.

EURAL Code

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to
Annex II of MARPOL 73/78 and
the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).
The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2009 (SI 2009 No. 1348) (as amended) ["CDG 2009"].
EH40/2005 Workplace exposure limits.

Drug Precursors Regulation
(273/2004)

Danish product registration
number

Danish national regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

Sultraspot Soft

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
 ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
 RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
 IATA: International Air Transport Association.
 ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
 IMDG: International Maritime Dangerous Goods.
 CAS: Chemical Abstracts Service.
 ATE: Acute Toxicity Estimate.
 LC50: Lethal Concentration to 50 % of a test population.
 LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
 EC₅₀: 50% of maximal Effective Concentration.
 PBT: Persistent, Bioaccumulative and Toxic substance.
 vPvB: Very Persistent and Very Bioaccumulative.

Revision comments Revised classification. Revision is due to change of UFI number

Revision date 06/12/2023

Revision 11

Supersedes date 11/05/2023

SDS number 7871/21484

Hazard statements in full

H304 May be fatal if swallowed and enters airways.
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.