

**SAFETY DATA SHEET****Sultrex P**

According to the REACH etc. (Amendment etc.) (EU Exit) Regulations 2020 No. 1577, as amended.

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1. Product identifier**

Product name	Sultrex P
Product number	7865/21497
UFI	UFI: AJT0-87EK-K00P-JGJW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	Detergent. Cleaning agent. Dry Cleaning
-----------------	---

1.3. Details of the supplier of the safety data sheet

Supplier	Christeyns NV Afrikalaan 182 9000 Gent Belgium Tel: +32 9 223 38 71 info@christeyns.be
Manufacturer	Cole & Wilson Ltd Rutland Street Bradford West Yorkshire BD4 7EA T: 01274 393286 F: 01274 309143 info@colewilson.co.uk

1.4. Emergency telephone number

Emergency telephone	Christeyns NV: Tel: +32 9 223 38 71 (Mon-Fri 8am-4pm)
---------------------	---

Sultrex P

National emergency telephone number

NCEC Tel: +44 1235 239670 (UK and Europe)
 (DE) Giftnotruf Berlin +49 30 19240 (24h erreichbar)
 (DE) Giftnotruf Berlin +49 (0)30 30686 790
 (CH) STIZ, tel. 145
 (CH) Centre suisse d'information toxicologique: +41.(0)1.251.51.51
 (AT) Vergiftungsinformationszentrale: +43 1 40 400 2222
 worldwide: <http://www.who.int/ipcs/poisons/centre/directory/en>
 (FR) CENTRE ANTI-POISON France: +33 45 42 59 59 ORFILA (INRS)
 (FR) CENTRE ANTI-POISON Nancy: +33 (03) 83 26 36 36
 (FI) Myrkytystietokeskus +358 9 471 977
 (BE) Belgisch Antigifcentrum/Centre Antipoisons Belge : +32 70 245 245
 (ES) Teléfono Instituto Nacional de Toxicología: 915 620 420
 (GB) NHS 111
 (IT) Centro Antiveneni, Ospedale Niguarda Milano: +39 02 6610 1029
 (CZ) Toxikologické informační středisko, Klinika pracovního lékařství VFN a 1. LF UK, Na Bojišti 1, 120 00 Praha 2: +420 224 919 293, +420 224 915 402
 (SK) Národné toxikologické informačné centrum, Univerzitná nemocnica Bratislava, pracovisko Kramáre, Klinika pracovného lekárstva a toxikológie, Limbová 5, 833 05 Bratislava : +421 2 54 77 41 66
 National Poisons Information Centre Tel: +353 (01) 809 2566 (Ireland) - Healthcare Professionals only
 (24 hour service)
 +45 8988 2286 (Denmark)
 +358 9 7479 0199 (Finland)
 +47 2103 4452 (Norway)
 +46 8 566 42573
 +46 112 Begär Giftinformation (Sweden)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards	Not Classified
Health hazards	Skin Irrit. 2 - H315 Eye Dam. 1 - H318
Environmental hazards	Not Classified

2.2. Label elements

Hazard pictograms



Signal word	Danger
Hazard statements	H315 Causes skin irritation. H318 Causes serious eye damage.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P302+P352 IF ON SKIN: Wash with plenty of water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Contains	SODIUM DI-OCTYL SULPHOSUCCINATE , Sulfonic acids, C14-17-sec-alkane, sodium salts
Detergent labelling	15 - < 30% anionic surfactants, 5 - < 15% aliphatic hydrocarbons
Supplementary precautionary statements	P310 Immediately call a POISON CENTER/ doctor. P321 Specific treatment (see medical advice on this label). P332+P313 If skin irritation occurs: Get medical advice/ attention. P362+P364 Take off contaminated clothing and wash it before reuse.

2.3. Other hazards

Sultrex P

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

SODIUM DI-OCTYL SULPHOSUCCINATE CAS number: 577-11-7 EC number: 209-406-4	10-15%
Classification Skin Irrit. 2 - H315 Eye Dam. 1 - H318	
2-(2-butoxyethoxy)ethanol CAS number: 112-34-5 EC number: 203-961-6	10-15%
Classification Eye Irrit. 2 - H319	
Sulfonic acids, C14-17-sec-alkane, sodium salts CAS number: 97489-15-1 EC number: 307-055-2	5-10%
Classification Acute Tox. 4 - H302 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 Aquatic Chronic 3 - H412	
MONOPROPYLENE GLYCOL CAS number: 57-55-6 EC number: 200-338-0	3-5%
Classification Not Classified	
SODIUM HYDROXIDE CAS number: 1310-73-2 EC number: 215-185-5	<1%
Classification Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1A - H314 Eye Dam. 1 - H318	

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Get medical attention if symptoms are severe or persist. Remove affected person from source of contamination.
Inhalation	Unlikely route of exposure as the product does not contain volatile substances. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing.
Ingestion	Never give anything by mouth to an unconscious person. Do not induce vomiting. Promptly get affected person to drink large volumes of water to dilute the swallowed chemical. Give milk instead of water if readily available. Get medical attention immediately.

Sultrex P

Skin contact	Wash skin thoroughly with soap and water. Remove contaminated clothing. Get medical attention promptly if symptoms occur after washing.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention immediately. Continue to rinse.

4.2. Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those of ingestion may develop.
Ingestion	May cause discomfort if swallowed.
Skin contact	Causes skin irritation. Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	Severe irritation, burning and tearing.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Treat symptomatically.
----------------------	------------------------

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.
------------------------------	--

5.2. Special hazards arising from the substance or mixture

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur.

5.3. Advice for firefighters

Protective actions during firefighting	If risk of water pollution occurs, notify appropriate authorities. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
----------------------	---

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
---------------------------	---

6.3. Methods and material for containment and cleaning up

Methods for cleaning up	Absorb in vermiculite, dry sand or earth and place into containers. Flush spilled material into suitable retaining areas or container with large quantities of water. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Dispose of contents/container in accordance with national regulations.
-------------------------	---

6.4. Reference to other sections

Reference to other sections	Wear protective clothing as described in Section 8 of this safety data sheet. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
-----------------------------	---

Sultrex P

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions

Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid contact with skin and eyes.

Advice on general occupational hygiene

Wash promptly if skin becomes contaminated. Take off contaminated clothing. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions

Keep above the chemical's freezing point to avoid rupturing the container. Keep container tightly closed.

Storage class

Chemical storage.

7.3. Specific end use(s)

Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

2-(2-butoxyethoxy)ethanol

Long-term exposure limit (8-hour TWA): WEL 10 ppm 67.5 mg/m³

Short-term exposure limit (15-minute): WEL 15 ppm 101.2 mg/m³

MONOPROPYLENE GLYCOL

Long-term exposure limit (8-hour TWA): WEL 150 ppm 474 mg/m³ total vapour and particulates

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m³

WEL = Workplace Exposure Limit.

2-(2-butoxyethoxy)ethanol (CAS: 112-34-5)

DNEL

Workers - Inhalation; Long term systemic effects: 67.5 mg/m³
 Workers - Dermal; Long term systemic effects: 83 mg/kg/day
 Workers - Inhalation; Short term local effects: 101.2 mg/m³
 Workers - Inhalation; Long term local effects: 67.5 mg/m³
 Consumer - Inhalation; Short term local effects: 60.7 mg/m³
 Consumer - Inhalation; Long term systemic effects: 40.5 mg/m³
 Consumer - Dermal; Long term systemic effects: 50 mg/kg/day
 Consumer - Oral; Long term systemic effects: 5 mg/kg/day
 Consumer - Inhalation; Long term local effects: 40.5 mg/m³

PNEC

- Fresh water; 1.1 mg/l
 - marine water; 0.11 mg/l
 - Intermittent release; 11 mg/l
 - Sediment (Freshwater); 4.4 mg/kg
 - Sediment (Marinewater); 0.44 mg/kg
 - STP; 200 mg/l
 - Soil; 0.32 mg/kg

Sulfonic acids, C14-17-sec-alkane, sodium salts (CAS: 97489-15-1)

Sultrex P

DNEL

Workers - Dermal; Short term local effects: 2.8 mg/cm²
 Workers - Dermal; Long term systemic effects: 5 mg/kg bw/day
 Workers - Inhalation; Long term systemic effects: 35 mg/m³
 Workers - Dermal; Long term local effects: 2.8 mg/cm²
 General population - Dermal; Short term local effects: 2.8 mg/cm²
 General population - Dermal; Long term systemic effects: 3.57 mg/kg bw/day
 General population - Inhalation; Long term systemic effects: 12.4 mg/m³
 General population - Oral; Long term systemic effects: 7.1 mg/kg bw/day
 General population - Dermal; Long term local effects: 2.8 mg/cm²

PNEC

Fresh water; 0.04 mg/l
 Intermittent release; 0.06 mg/l
 Sediment (Freshwater); 9.4 mg/kg sediment dw
 Sediment (Marinewater); 0.94 mg/kg sediment dw
 Soil; 9.4 mg/kg soil dw
 STP; 600 mg/l
 Salt water; 0.004 mg/l

MONOPROPYLENE GLYCOL (CAS: 57-55-6)

DNEL

Workers - Inhalation; Long term systemic effects: 168 mg/m³
 Workers - Inhalation; Long term local effects: 10 mg/m³
 General population - Inhalation; Long term systemic effects: 50 mg/m³
 General population - Inhalation; Long term local effects: 10 mg/m³
 General population - Dermal; Long term systemic effects: 213 mg/m³
 General population - Oral; Long term systemic effects: 85 mg/m³

PNEC

- Fresh water; 260 mg/l
 - marine water; 26 mg/l
 - Sediment (Freshwater); 572 mg/l
 - Sediment (Marinewater); 57.2 mg/l
 - Soil; 50 mg/kg
 - STP; 20000 mg/l
 Intermittent release; 183 mg/l

SODIUM HYDROXIDE (CAS: 1310-73-2)

DNEL

Consumer - Inhalation; Long term local effects: 1 mg/m³
 Workers - Inhalation; Long term local effects: 1 mg/m³
 Workers - Dermal; Short term local effects: 2 mg/kg/day
 Workers - Inhalation; Short term local effects: 2 mg/m³

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

No specific ventilation requirements.

Eye/face protection

Safety glasses with side-shields (EN 166).

Hand protection

Chemical resistant PVC/Nitrilrubber gloves (to European standard EN 374 or equivalent).
 Thickness: 0,4 mm. Penetration time: >480 min (level 6). The selection of specific gloves for a specific application and time of use in a working area, should also take into account other factors on the working space, such as (but not limited to): other chemicals that are possibly used, physical requirements (protection against cutting/drilling, skill, thermal protection), and the instructions/specification of the supplier of gloves.

Other skin and body protection

Wear suitable protective clothing (EN14605)

Hygiene measures

Do not eat, drink or smoke when using this product.

Sultrex P

Respiratory protection

Respiratory protection must be used if the airborne contamination exceeds the recommended occupational exposure limit.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Liquid.
Colour	Yellow.
Odour	Characteristic.
pH	pH (concentrated solution): 6.5-7.5
Initial boiling point and range	>100°C @ 760 mm Hg
Flash point	> 61°C Closed cup.
Relative density	0.99-1.05 @ 20°C
Solubility(ies)	Soluble in water.
Auto-ignition temperature	>200°C
Viscosity	90 cP @ 20°C

9.2. Other information

Other information	Not determined.
-------------------	-----------------

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	The following materials may react with the product: Oxidising agents. Reducing agents.
------------	--

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended.
-----------	---

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	No potentially hazardous reactions known.
------------------------------------	---

10.4. Conditions to avoid

Conditions to avoid	Avoid contact with the following materials: Oxidising agents. Reducing agents.
---------------------	--

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents. Strong reducing agents.
--------------------	--

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Harmful gases or vapours. Oxides of the following substances: Carbon. Nitrogen. Sulphur.
----------------------------------	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects	Not regarded as a health hazard under current legislation.
Acute toxicity - oral Notes (oral LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - dermal Notes (dermal LD ₅₀)	Based on available data the classification criteria are not met.
Acute toxicity - inhalation Notes (inhalation LC ₅₀)	Based on available data the classification criteria are not met.

Sultrex P

Skin corrosion/irritation

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation

Serious eye damage/irritation Causes serious eye damage.

Respiratory sensitisation

Respiratory sensitisation Based on available data the classification criteria are not met.

Skin sensitisation

Skin sensitisation Based on available data the classification criteria are not met.

Germ cell mutagenicity

Genotoxicity - in vitro Based on available data the classification criteria are not met.

Carcinogenicity

Carcinogenicity Based on available data the classification criteria are not met.

IARC carcinogenicity

None of the ingredients are listed or exempt.

Reproductive toxicity

Reproductive toxicity - fertility Based on available data the classification criteria are not met.

Reproductive toxicity - development

Based on available data the classification criteria are not met.

Specific target organ toxicity - single exposure

STOT - single exposure Not classified as a specific target organ toxicant after a single exposure.

Specific target organ toxicity - repeated exposure

STOT - repeated exposure Not classified as a specific target organ toxicant after repeated exposure.

Aspiration hazard

Aspiration hazard Based on available data the classification criteria are not met.

General information

The severity of the symptoms described will vary dependent on the concentration and the length of exposure.

Inhalation

Spray/mists may cause respiratory tract irritation. This is unlikely to occur but symptoms similar to those of ingestion may develop.

Ingestion

Ingestion may cause severe irritation of the mouth, the oesophagus and the gastrointestinal tract.

Skin contact

Irritating to skin.

Eye contact

Risk of serious damage to eyes. Symptoms following overexposure may include the following: Redness. Pain.

Acute and chronic health hazards

This product may cause skin and eye irritation. Repeated exposure may cause chronic eye irritation. Mild dermatitis, allergic skin rash.

Route of exposure

Skin and/or eye contact
Ingestion

Toxicological information on ingredients.

2-(2-butoxyethoxy)ethanol

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 2,410.0

Species Mouse

ATE oral (mg/kg) 2,410.0

Sultrex P

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,764.0

Species Rabbit

ATE dermal (mg/kg) 2,764.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ vapours mg/l) 29.0

Species Rat

ATE inhalation (vapours mg/l) 29.0

Sulfonic acids, C14-17-sec-alkane, sodium salts

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,250.0

Species Rat

ATE oral (mg/kg) 1,250.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,001.0

Species Mouse

Sorbitan monooleate, ethoxylated

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 2,001.0

Species Rat

ATE oral (mg/kg) 2,001.0

MONOPROPYLENE GLYCOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 20,000.0

Species Rat

ATE oral (mg/kg) 20,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 20,800.0

Species Rabbit

ATE dermal (mg/kg) 20,800.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC₅₀ dust/mist mg/l) 317.042

Sultrex P

Species	Rat
ATE inhalation (dusts/mists mg/l)	317.042

SODIUM HYDROXIDE

Acute toxicity - oral

Acute toxicity oral (LD ₅₀ mg/kg)	501.0
--	-------

Species	Rabbit
ATE oral (mg/kg)	501.0

SECTION 12: Ecological information

Ecotoxicity	Not regarded as dangerous for the environment. However, large or frequent spills may have hazardous effects on the environment.
-------------	---

12.1. Toxicity

Toxicity	Not considered toxic to fish.
----------	-------------------------------

Ecological information on ingredients.

2-(2-butoxyethoxy)ethanol

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 2700 mg/l, Fish LC ₅₀ , 96 hours: 1300 mg/l, Lepomis macrochirus (Bluegill)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: >100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	ECr50, 96 hours: > 100 mg/l, Scenedesmus subspicatus EyC50, 96 hours: > 100 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	EC10, 0.5 hour: > 1995 mg/l, Activated sludge EC ₅₀ , : 255 mg/l, Activated sludge

Sulfonic acids, C14-17-sec-alkane, sodium salts

Acute aquatic toxicity

Acute toxicity - fish	LC ₅₀ , 96 hours: 1-10 mg/l, Brachydanio rerio (Zebra Fish)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 9.81 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 72 hours: >61 mg/l, Desmodesmus subspicatus
Acute toxicity - microorganisms	NOEC, : 600 mg/l, PSEUDOMONAS PUTIDA
Acute toxicity - terrestrial	NOEC, 56 days: 470 mg/kg, Eisenia Fetida (Earthworm)

Chronic aquatic toxicity

Chronic toxicity - fish early life stage	NOEC, 28 days: 0.85 mg/l, Oncorhynchus mykiss (Rainbow trout)
Chronic toxicity - aquatic invertebrates	NOEC, 22 days: 0.36 mg/l, Daphnia magna

Sorbitan monooleate, ethoxylated

Acute aquatic toxicity

Sultrex P

Acute toxicity - fish LC₅₀, 96 hours: >100 mg/kg, Carassius auratus (Goldfish)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >100 mg/kg, Daphnia magna

MONOPROPYLENE GLYCOL

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 51600 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: 51400 mg/l, Pimephales promelas (Fat-head Minnow)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: >1000 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 96 hours: 19000 mg/l, Pseudokirchneriella subcapitata

Acute toxicity - microorganisms NOEC, 18 hours: >20000 mg/l, PSEUDOMONAS PUTIDA

Chronic aquatic toxicity

Chronic toxicity - aquatic invertebrates NOEC, 7 days: 13020 mg/l, Ceriodaphnia Dubia (Water flea)

SODIUM HYDROXIDE

Acute aquatic toxicity

Acute toxicity - fish LC₅₀, 96 hours: 35-189 mg/l, Fish
LC₅₀, 96 hours: 45.5 mg/l, Oncorhynchus mykiss (Rainbow trout)
LC₅₀, 96 hours: 125 mg/l, Freshwater fish

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: 40-240 mg/l, Daphnia magna

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in The Detergents Regulations (as amended).

Ecological information on ingredients.

Sorbitan oleate

Persistence and degradability The product is biodegradable.

2-(2-butoxyethoxy)ethanol

Persistence and degradability The product is biodegradable. >70% Readily biodegradable

Biodegradation OECD 302B - Degradation 100%: 28 days

Sulfonic acids, C14-17-sec-alkane, sodium salts

Biodegradation Activated sludge, OECD 301E - Degradation 89%: 28 days
Activated sludge, OECD 303A - Degradation 96.2%: 34 days
Activated sludge, OECD 301B - Degradation 78%: 28 days

Sorbitan monooleate, ethoxylated

Biodegradation The product is biodegradable.
- 60%: > 28 days

Chemical oxygen demand 2200 mg O₂/g

MONOPROPYLENE GLYCOL

Sultrex P

Biodegradation OECD 301F - Degradation >81%: 28 days
- Degradation 96%: 64 days

Biological oxygen demand 1170 mg O₂/l

Chemical oxygen demand 4700 mg O₂/l

12.3. Bioaccumulative potential

Bioaccumulative potential No data available on bioaccumulation.

Ecological information on ingredients.

Sorbitan oleate

Bioaccumulative potential No potential for bioaccumulation.

2-(2-butoxyethoxy)ethanol

Bioaccumulative potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient log Pow: 1.00

Sulfonic acids, C14-17-sec-alkane, sodium salts

Bioaccumulative potential Accumulation in organisms is not expected

MONOPROPYLENE GLYCOL

Bioaccumulative potential BCF: < 0.09,

Partition coefficient log Pow: -1.07

12.4. Mobility in soil

Mobility Soluble in water.

Ecological information on ingredients.

2-(2-butoxyethoxy)ethanol

Adsorption/desorption coefficient - Koc: 2 @ 20°C

MONOPROPYLENE GLYCOL

Adsorption/desorption coefficient - Koc: 2.9 @ 20°C - Log Koc: 0.46 @ 20°C

Henry's law constant 0.00566 atm m³/mol @ 12°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

Sorbitan oleate

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current UK criteria.

2-(2-butoxyethoxy)ethanol

Sultrex P

Results of PBT and vPvB assessment

This substance is not classified as PBT or vPvB according to current UK criteria.

12.6. Other adverse effects

Other adverse effects None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal methods

Dispose of in accordance with Local Authority regulations as special waste according to The Control of Special Waste Regulations 1996.

EURAL Code

SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Drug Precursors Regulation
(273/2004)

Danish product registration
number

Danish national regulations

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

Inventories

EU - EINECS/ELINCS

None of the ingredients are listed or exempt.

Sultrex P

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.
	ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways.
	RID: European Agreement concerning the International Carriage of Dangerous Goods by Rail.
	IATA: International Air Transport Association.
	ICAO: Technical Instructions for the Safe Transport of Dangerous Goods by Air.
	IMDG: International Maritime Dangerous Goods.
	CAS: Chemical Abstracts Service.
	ATE: Acute Toxicity Estimate.
	LC50: Lethal Concentration to 50 % of a test population.
	LD50: Lethal Dose to 50% of a test population (Median Lethal Dose).
	EC ₅₀ : 50% of maximal Effective Concentration.
	PBT: Persistent, Bioaccumulative and Toxic substance.
	vPvB: Very Persistent and Very Bioaccumulative.
Revision comments	Revision is due to change of UFI number Revision is due to general MSDS review
Revision date	15/03/2024
Revision	7
Supersedes date	27/10/2022
SDS number	7865/21497
Hazard statements in full	H290 May be corrosive to metals.
	H302 Harmful if swallowed.
	H314 Causes severe skin burns and eye damage.
	H315 Causes skin irritation.
	H318 Causes serious eye damage.
	H319 Causes serious eye irritation.
	H412 Harmful to aquatic life with long lasting effects.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.